

C (E)-BETA-OCIMENE

Chemid

EBETAOCIMENE

*Unless otherwise noted all references are to Duke, James A. 1992. Handbook of phytochemical constituents of GRAS herbs and other economic plants. Boca Raton, FL. CRC Press.

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Apium graveolens	Seed	7	10		Charalambous, G. (Ed.). 1994. Spices, Herbs and Edible Fungi. Elsevier Science B. V. Amsterdam. 764 pp.
Carica papaya	Fruit	--	--		--
Carum carvi	Seed	--	--		--
Cinnamomum verum	Leaf	--	0	-1.1406906611683263	Mallavarupu, G. R. et al. 1995. Investigation of the essential oil of cinnamon leaf grown at Bangalore and Hyderabad. Flav. & Fragr. J., 10: 239-242.
Citrus limon	Petiole	--	6		--
Citrus paradisi	Pericarp	--	8		--
Citrus reticulata	Fruit	4	5	-0.6151691947960529	--
Citrus sinensis	Fruit	0.7	1	-0.795218715224166	--
Dictamnus albus	Shoot	6	6	-0.6022589092912324	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of Dictamnus albus from Turkey. Planta Med. 60:481-2
Dictamnus albus	Shoot	--	7	-0.5895504305028394	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of Dictamnus albus from Turkey. Planta Med. 60:481-2

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Dictamnus albus	Shoot	--	6	-0.6022589092912324	Baser, K.H.C., Kosar, M.Malyer, H. & Ozek, T. 1994. The Essential Oil Composition of <i>Dictamnus albus</i> from Turkey. <i>Planta Med.</i> 60:481-2
Elsholtzia blanda	Shoot	38	38	-0.19558758806265536	Bestman, H.J., Rauscher, J., Vostrowsky O., Pant, A.K., Dev. V., Perihar, R. and Mathela, C.S. 1992. Constituents of the Essential Oil of <i>Elsholtsia blanda</i> Benth. (Labiatae). <i>J. Ess. Oils Res.</i> 4: 121-124
Eucalyptus bridgesiana	Leaf	--	8	-0.6116747023656242	Singh, A. K., Gupta, K. C., & Brophy, J. J. 1991. Volatile Constituents of the Essential Oil of <i>Eucalyptus bridgesiana</i> Growing in India. <i>Journal of Essential Oil Res.</i> 3: 449-450.
Hyptis suaveolens	Shoot	0	0	-0.6785097820215906	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. <i>J. Ess. Oil Res.</i> 5: 321.
Hyptis suaveolens	Shoot	--	0	-0.6785097820215906	Mallvarapu, G.R., Ramesh, S., Kaul, P.N., Bhattacharya, A.K., and Rao, B.R.R. 1993. The Essential Oil of <i>Hyptis suaveolens</i> (L.) Poit. <i>J. Ess. Oil Res.</i> 5: 321.
Hyssopus officinalis	Shoot	70	70	0.21108373316592186	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. <i>J. Ess. Oil Res.</i> 5: 609-611.
Hyssopus officinalis	Shoot	--	70	0.21108373316592186	Tsankova, E.T., Konatchiev, A.N. and Genova, E.M. 1993. Chemical Composition of the Essential Oils of Two <i>Hyssopus officinalis</i> cultivars. <i>J. Ess. Oil Res.</i> 5: 609-611.
Lavandula x hybrida	Shoot	22	48	-0.06850280017872502	Tucker, A.O., Maciarello, M.J., Angell, S., Espaillat, J.R., and French, E.C. 1993. The Essential Oil of <i>Lavandula x hybrida</i> Balb. ex Ging., a Distinct Hybrid from <i>L. x heterophylla</i> Poir. (Labiatae). <i>J. Ess. Oil Res.</i> 5: 443-445.
Leonotis leonurus	Se	3	3		Pedro, L.G., Barroso, J.G., Marques, N.T., Ascensao, L., Pais, M.S.S. and Scheffer, J.J.C. 1991. Composition of the Essential Oil from Sepals of <i>Leonotis leonurus</i> R. Br. <i>J. Ess. Oil Res.</i> 3: 451-3
Lindera benzoin	Fruit	36	50	1.410387910020219	--
Micromeria fruticosa	Shoot	19	19	-0.43704868504212296	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. <i>J. Ess. Oil Res.</i> 3: 477-479.

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Micromeria fruticosa	Shoot	--	19	-0.43704868504212296	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of <i>Micromeria fruticosa</i> (L.) Druce subsp. <i>barbata</i> (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria myrtifolia	Shoot	0.3	0.3	-0.6746972383850727	Ozek, T., Kirimer, N., and Baser, K.H.C. 1992. Composition of the Essential Oil of <i>Micromeria myrtifolia</i> Boiss. et Hohen. J. Ess. Oil Res., 4: 79-80.
Minthostachys mollis	Shoot	3	18	-0.449757163830516	Alkire, B.H., Tucker, A.O., and Maciarello, M.J. 1994. <i>Tipo</i> (<i>Minthostachys mollis</i> (Lamiaceae): An Ecuadorian Mint. Econ. Bot. 48(1): 60-64.
Murraya koenigii	Leaf	--	40	1.504389132845184	--
Ocimum basilicum	Plant	1	435	2.2262230322078222	--
Origanum minutiflorum	Shoot	0	5	-0.6149673880796254	Baser, K.H.C., Tumen, G., Sezik, E. 1991. The Essential Oil of <i>Origanum minutiflorum</i> O. Schwarz and P.H. Davis. J. Ess. Oil Res. 3: 445-446.
Origanum sipyleum	Shoot	70	70	0.21108373316592186	Baser, K.H.C., Ozek, T., Kurkuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	1.8	-0.6556345202024831	Baser, K.H.C., Ozek, T., Kurkuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	70	0.21108373316592186	Baser, K.H.C., Ozek, T., Kurkuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum sipyleum	Shoot	--	17	-0.46246564261890905	Baser, K.H.C., Ozek, T., Kurkuoglu, M. and Tumen, G. 1992. Composition of the Essential Oil of <i>Origanum sipyleum</i> of Turkish Origin. J. Ess. Oil Res. 4: 139-142.
Origanum vulgare	Plant	25	25	-0.4702361796243996	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.
Origanum vulgare	Plant	40	40	-0.3715852328500501	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Origanum vulgare	Plant	50	50	-0.3058179350004837	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Origanum vulgare	Plant	25	25	-0.4702361796243996	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
Pelargonium citrosum	Shoot	--	1	-0.6658013032331975	Matsuda, B. M., et al. 1996. Essential Oil Analysis and Field Evaluation of the Citrosa Plant ' <i>Pelargonium citrosum</i> ' as a Repellent Against Populations of <i>Aedes</i> Mosquitoes. <i>J. Am. Mosq. Contr. Assoc.</i> 12(1):69-74.
Porophyllum ruderale	Plant	3	4	-0.608347505108489	Loayza, I., de Groot, W., Lorenzo, D. et al. 1999. Composition of the essential oil of <i>Porophyllum ruderale</i> (Jacq.) Cass. from Bolivia. <i>Flav. & Fragr. J.</i> 14: 393-8.
Rosmarinus eriocalyx	Shoot	60	185	1.6725587938311206	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.
Rosmarinus eriocalyx	Shoot	60	185	1.6725587938311206	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.
Rosmarinus officinalis	Shoot	0.1	13	-0.5132995577724812	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.
Rosmarinus officinalis	Shoot	12	25	-0.3607978123117648	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.
Rosmarinus officinalis	Shoot	--	380	4.150712157567762	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the <i>Rosmarinus eriocalyx-tomentosus</i> Complex in Southeast Spain. <i>J. Ess. Oil Res.</i> 5: 243-246.

Plant	Part	Low PPM	High PPM	StdDev PPM	Reference
Rosmarinus officinalis	Shoot	--	13	-0.5132995577724812	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus tomentosus	Shoot	0.1	20	-0.4243402062537299	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus x lavandulaceus	Shoot	0.1	30	-0.29725541836979963	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Rosmarinus x mendizabalii	Shoot	0.1	33	-0.2591299820046205	Soriano Cano, M.C., Sotomayor Sanchez, J.A., Sanchez Gomez, P. and Garcia Vallejo, M.C. 1993. Essential Oils of the Rosmarinus eriocalyx-tomentosus Complex in Southeast Spain. J. Ess. Oil Res. 5: 243-246.
Sassafras albidum	Leaf	9.4	21	0.24797623068876656	--
Satureja cilicica	Shoot	55	55	0.020456551340026382	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Tagetes lucida	Shoot	--	175	1.5454740059471903	Bicchi, C., Fresia, M., Rubiolo, P., Monti, D., Franz, C., Goehler, I. 1997. Constituents of Tagetes lucida Cav. ssp. lucida essential oil. Flavor & Fragrance, 12(1): 47-52.
Thymus zygis	Shoot	75	75	0.27462612710788703	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.